

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

### In the Claims

Amend claims 1, 7, 8, and 18 as follows:

1. (Currently Amended) An organic electroluminescent (EL) device comprising an anode, a cathode, and one or more organic thin-film layers including a light-emitting layer sandwiched between the anode and the cathode, at least one of the organic thin-film layers including a perylene compound represented by a general formula [1] as follows:




wherein each of  $R^1$  to  $R^{12}$  independently represents a hydrogen atom, a halogen atom, hydroxy group, substituted or non-substituted amino group, nitro group, cyano group, substituted or non-substituted alkyl group, substituted or non-substituted alkenyl group, substituted or non-substituted styryl group, substituted or non-substituted cycloalkyl group, substituted or non-substituted alkoxy group, substituted or non-substituted aromatic hydrocarbon group, substituted or non-substituted aromatic heterocyclic group, substituted or non-substituted aralkyl group or substituted or non-substituted aryloxy group; any two of  $R^1$  to  $R^{12}$  may form a ring; however, ~~at least one~~ one or two of  $R^1$  to  $R^{12}$  is a diarylamino group represented by  $-\text{NAr}^1\text{Ar}^2$  (each of  $\text{Ar}^1$  and  $\text{Ar}^2$  represents substituted or non-substituted aromatic hydrocarbon group or substituted or non-substituted aromatic heterocyclic group), and at least one of the  $R^1$  to  $R^{12}$  other than the diarylamino group is a group with steric hindrance for suppressing aggregation of molecules,

wherein the group with steric hindrance included in the general formula [1] is a substituted or non-substituted alkyl group having not less than four carbon atoms, a substituted or non-substituted cycloalkyl group, a substituted or non-substituted alkoxy group, a substituted or non-substituted aromatic heterocyclic group, a substituted or non-substituted aralkyl group or a substituted or non-substituted aryloxy group.

2. (Previously Presented) The organic EL device as defined in claim 1, wherein at least one of A<sup>1</sup> and Ar<sup>2</sup> has substituted or non-substituted styryl group as a substituent.
3. (Previously Presented) The organic EL device as defined in claim 1, wherein the organic thin-film layers have at least a light-emitting layer including the compound represented by the general formula [1] either singly or as a mixture.
4. (Previously Presented) The organic EL device as defined in claim 1, wherein the organic thin-film layers have at least a hole transporting layer including the compound represented by the general formula [1] either singly or as a mixture.
5. (Previously Presented) The organic EL device as defined in claim 1, wherein the organic thin-film layers have at least an electron transporting layer including the compound represented by the general formula [1] either singly or as a mixture.
6. (Previously Presented) The organic EL device as defined in claim 1, wherein the group with steric hindrance included in the general formula [1] is the substituted or non-

substituted alkyl group, the substituted or non-substituted cycloalkyl group, the substituted or non-substituted alkoxy group, the substituted or non-substituted aromatic hydrocarbon group, the substituted or non-substituted aromatic heterocyclic group, the substituted or non-substituted aralkyl group or the substituted or non-substituted aryloxy group.

7. (Currently Amended) An organic EL device comprising an anode, a cathode, and one or more organic thin-film layers including a light-emitting layer sandwiched between the anode and the cathode, at least one of the organic thin-film layers including[, either singly or as a mixture,] a benzoperylene compound represented by a general formula [2] as follows:



wherein each of R<sup>13</sup> to R<sup>26</sup> independently represents a hydrogen atom, a halogen atom, hydroxyl group, substituted or non-substituted amino group, nitro group, cyano group, substituted or non-substituted [aklyl] alkyl group having not less than four carbon atoms, substituted or non-substituted alkenyl group, substituted or non-substituted styryl group, substituted or non-substituted cycloalkyl group, substituted or non-substituted alkoxy group, substituted or non-substituted aromatic hydrocarbon group, substituted or non-substituted aromatic heterocyclic group, substituted or non-substituted aralkyl group or substituted or non-substituted aryloxy

group; and two of  $R^{13}$  to  $R^{26}$  may form a ring; and at least one of  $R^{13}$  to  $R^{26}$  is a group with steric hindrance for suppressing aggregation of molecules,

wherein the group with steric hindrance included in the general formula [2] is a substituted or non-substituted alkyl group, a substituted or non-substituted cycloalkyl group, a substituted or non-substituted alkoxy group, a substituted or non-substituted aromatic heterocyclic group, a substituted or non-substituted aralkyl group, or a substituted or non-substituted aryloxy group.

8. (Currently Amended) The organic EL device as defined in claim 7, wherein at least one of  $R^{13}$  to  $R^{26}$  is a diarylamino group represented by  $-NAr^1Ar^2$  (each of  $Ar^1$  and  $Ar^2$  represents non-substituted aromatic hydrocarbon group or substituted aromatic heterocyclic group)[, and the group with steric hindrance is other than the diarylamino group].

9. (Previously Presented) The organic EL device as defined in claim 8, wherein at least one of  $A^1$  and  $Ar^2$  has substituted or non-substituted styryl group as a substituent.

10. (Previously Presented) The organic EL device as defined in claim 7, wherein the organic thin-film layers have at least a light-emitting layer including the compound represented by the general formula [2] either singly or as a mixture.

11. (Previously Presented) The organic EL device as defined in claim 7, wherein the organic thin-film layers have at least a hole transporting layer including the compound represented by the general formula [2] either singly or as a mixture.

12. (Previously Presented) The organic EL device as defined in claim 7, wherein the organic thin-film layers have at least an electron transporting layer including the compound represented by the general formula [2] either singly or as a mixture.

13. (Previously Presented) The organic EL device as defined in claim 1, wherein the group with steric hindrance included in the general formula [2] is the substituted or non-substituted alkyl group, the substituted or non-substituted cycloalkyl group, the substituted or non-substituted alkoxy group, the substituted or non-substituted aromatic hydrocarbon group, the substituted or non-substituted aromatic heterocyclic group, the substituted or non-substituted aralkyl group or the substituted or non-substituted aryloxy group.


14. (Previously Presented) The organic EL device as defined in claim 1, wherein the group with steric hindrance is adamantyloxy, adamantyl, t-butyl or t-butoxy.

15. (Previously Presented) The organic EL device as defined in claim 1, wherein the steric hindrance group is adamantyloxy or t-butoxy.

16. (Previously Presented) The organic EL device as defined in claim 1, wherein at least two of  $R^{13}$  to  $R^{26}$  are adamantyloxy or t-butoxy.

17. (Previously Presented) The organic EL device as defined in claim 7, wherein the group with steric hindrance is adamantyloxy, adamantyl, t-butyl, t-butoxy or phenyloxy.

18. (Currently Amended) An organic EL device comprising an anode, a cathode, and one or more organic thin-film layers including a light-emitting layer sandwiched between the anode and the cathode, at least one of the organic thin-film layers including[, either singly or as a mixture,] a benzoperylene compound represented by a general formula [2] as follows:



wherein each of R<sup>13</sup> to R<sup>26</sup> independently represents a hydrogen atom, a halogen atom, hydroxyl group, substituted or non-substituted amino group, nitro group, cyano group, substituted or non-substituted [akyl] alkyl group having not less than four carbon atoms, substituted or non-substituted alkenyl group, substituted or non-substituted styryl group, substituted or non-substituted cycloalkyl group, substituted or non-substituted alkoxy group, substituted or non-substituted aromatic hydrocarbon group, substituted or non-substituted aromatic heterocyclic group, substituted or non-substituted aralkyl group or substituted or non-substituted aryloxy group; and two of R<sup>13</sup> to R<sup>26</sup> may form a ring; and at least one of R<sup>13</sup> to R<sup>26</sup> is a group with steric hindrance for suppressing aggregation of molecules,


wherein the group with steric hindrance included in the general formula [2] is a substituted or non-substituted alkyl group, a substituted or non-substituted cycloalkyl group, a substituted or non-substituted alkoxy group, a substituted or non-substituted aromatic

heterocyclic group, a substituted or non-substituted aralkyl group, or a substituted or non-substituted aryloxy group,

wherein the group with steric hindrance is adamantyl.

Please add claims 19 and 20 as follows:

19. (New) An organic electroluminescent (EL) device comprising an anode, a cathode, and one or more organic thin-film layers including a light-emitting layer sandwiched between the anode and the cathode, at least one of the organic thin-film layers including a perylene compound represented by a general formula [1] as follows:




wherein each of  $R^1$  to  $R^{12}$  independently represents a hydrogen atom, a halogen atom, hydroxy group, substituted or non-substituted amino group, nitro group, cyano group, substituted or non-substituted alkyl group, substituted or non-substituted alkenyl group, substituted or non-substituted styryl group, substituted or non-substituted cycloalkyl group, substituted or non-substituted alkoxy group, substituted or non-substituted aromatic hydrocarbon group, substituted or non-substituted aromatic heterocyclic group, substituted or non-substituted aralkyl group or substituted or non-substituted aryloxy group; any two of  $R^1$  to  $R^{12}$  may form a ring; however, one or two of  $R^1$  to  $R^{12}$  is a diarylamino group represented by  $-NAr^1Ar^2$  (each of  $Ar^1$  and  $Ar^2$

represents substituted or non-substituted aromatic hydrocarbon group or substituted or non-substituted aromatic heterocyclic group), and at least one of the  $R^1$  to  $R^{12}$  other than the diarylamino group is a group with steric hindrance for suppressing aggregation of molecules,

wherein the group with steric hindrance included in the general formula [1] is a substituted or non-substituted alkyl group having not less than four carbon atoms, a substituted or non-substituted cycloalkyl group, a substituted or non-substituted aralkyl group or a substituted or non-substituted aryloxy group,

wherein the perylene compound represented by formula [1] is used in combination with other compounds.

20. (New) An organic electroluminescent (EL) device comprising an anode, a cathode, and one or more organic thin-film layers including a light-emitting layer sandwiched between the anode and the cathode, at least one of the organic thin-film layers including a perylene compound represented by a general formula [1] as follows:



wherein each of  $R^1$  to  $R^{12}$  independently represents a hydrogen atom, a halogen atom, hydroxy group, substituted or non-substituted amino group, nitro group, cyano group, substituted or non-substituted alkyl group, substituted or non-substituted alkenyl group, substituted or non-

substituted styryl group, substituted or non-substituted cycloalkyl group, substituted or non-substituted alkoxy group, substituted or non-substituted aromatic hydrocarbon group, substituted or non-substituted aromatic heterocyclic group, substituted or non-substituted aralkyl group or substituted or non-substituted aryloxy group; any two of  $R^1$  to  $R^{12}$  may form a ring; however, one or two of  $R^1$  to  $R^{12}$  is a diarylamino group represented by  $-NAr^1Ar^2$  (each of  $Ar^1$  and  $Ar^2$  represents substituted or non-substituted aromatic hydrocarbon group or substituted or non-substituted aromatic heterocyclic group), and at least one of the  $R^1$  to  $R^{12}$  other than the diarylamino group is a group with steric hindrance for suppressing aggregation of molecules,

wherein the group with steric hindrance included in the general formula [1] is a substituted or non-substituted alkyl group having not less than four carbon atoms, a substituted or non-substituted cycloalkyl group, a substituted or non-substituted alkoxy group, a substituted or non-substituted aromatic heterocyclic group, a substituted or non-substituted aralkyl group or a substituted or non-substituted aryloxy group,

wherein the perylene compound represented by formula [1] is used in alone and not in combination with other compounds.

S:\CLIENT\201558\0014\0269932.1